Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	252	382/115-116,124-127;340/5.53,5.83.ccls. and @pd>="20050308"	US-PGPUB; USPAT	OR	ON	2005/10/14 18:46
S49	3	JP-58144280-$.did. JP-63228271-$.did. JP-01321576-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/03 12:30
S50	6	WO-9811501-$.did. WO-9858346-$.did. EP-935221-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/03 12:30
S51	3	"4993068".pn. "5825924".pn. "6035403".pn.	US-PGPUB; USPAT	OR	ON	2005/10/03 12:30
S52	1	("5930804").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/03 12:54
S53	3	EP-650137-$.did. JP-63150781-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/03 12:30
S54	1	("5796857").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/03 12:30
S55	34	SHINZAKI-TAKASHI$.in. FUJII-YUSAKU$.in. NIIZAKI-TAKU$.in.	US-PGPUB; USPAT	OR	ON	2005/10/03 12:30
S56	2	JP-2001084371-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/03 12:30
S57	258	382/115-116,124-127;340/5.53,5.83.ccls. and (register$3 or registrat$3 or template or standard or master or recogni$4 or verif$4 or verification or authentic$5) with (resiz$3 or resolution or ((dynamic or image) near range) or shrink$3 or expand$3 or stretch$3 or crop$4 or pad$4)	US-PGPUB; USPAT	OR	ON	2005/10/03 12:30
S58	212	382/115-116,124-127;340/5.53,5.83.ccls. and (reference or register$3 or registrat$3 or template or standard or master or recogni$4 or verif$4 or verification or authentic$5) with (resiz$3 or ((chang$3 or adjust$3 or match$3 or increas$3 or decreas$3) near (siz$3 or resolution)) or ((dynamic or image) near range) or shrink$3 or expand$3 or stretch$3 or crop$4 or pad$4 or enlarg$3 or (blow$3 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/03 12:30
S59	201	382/115-116,124-127;340/5.53,5.83;356/71.ccls. and (registered or registering or registration or template or master or standard or stor$3 or predetermined or preserv$3 or database or data adj base) same (convert$3 or conversion or chang$3 or increas$3 or decreas$3 or shrink$3 or expand$3 or resiz$3 or stretch$3 or crop$4) near5 (resolution or width or height or vertical or horizontal or ratio or (dynamic or image) near range or sampling or period or frequency or brightness or contrast)	US-PGPUB; USPAT	OR	ON	2005/10/03 12:30
S60	121	382/115-116,124-127;340/5.53,5.83.ccls. and (feature or minutia$1 or whorl or loop or arch or window or region or template) with (resiz$3 or ((chang$3 or adjust$3 or match$3 or increas$3 or decreas$3) near (siz$3 or resolution)) or ((dynamic or image) near range) or shrink$3 or expand$3 or stretch$3 or crop$4 or padd$3 or enlarg$3 or (blow$3 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/03 12:30
S61	50	382/115-116,124-127;340/5.53,5.83.ccls. and (reference or register$3 or registration or template or recogni$6 or verif$4 or verification or authentic$5 or fingerprint$3 or finger adj print$3) with (chang$3 or adjust$3 or match$3 or convert$3 or conversion or normali$6 or standard$7 or compensat$3) with (resolution or invert$3 or inversion)	US-PGPUB; USPAT	OR	ON	2005/10/03 12:30
S62	156	"382"/$.ccls. and (fingerprint$3 or finger adj print$3 or biometric or person$3 or human) same (reference or register$3 or registration or template or recogni$6 or verif$4 or verification or authentic$5 or sensor or sensing or pickup or pick-up or scanner) same (chang$3 or adjust$3 or match$3 or convert$3 or conversion or normali$6 or standard$7 or compensat$3) with (resolution or invert$3 or inversion or (pixel or dot or line) adj per adj inch or PPI.u/c. or DPI.u/c. or LPI.u/c.)	US-PGPUB; USPAT	OR	ON	2005/10/03 12:30
S63	80	(fingerprint$3 or finger adj print$3 or biometric) same (reference or register$3 or registration or template or recogni$6 or verif$4 or verification or authentic$5 or sensor or sensing or pickup or pick-up or scanner) with (chang$3 or adjust$3 or match$3 or convert$3 or conversion or normali$6 or standard$7 or compensat$3) with (resolution or invert$3 or inversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/03 12:30

S64	50	(fingerprint$3 or finger adj print$3 or biometric) with (register$3 or registration or template or recogni$6 or verif$4 or verification or authentic$5 or sensor or sensing or pickup or pick-up or scan$3) same (chang$3 or adjust$3 or match$3 or convert$3 or conversion or normali$6 or standard$7 or compensat$3) near3 (resolution or invert$3 or inversion or (pixel or dot or line) adj per adj inch or PPI.u/c. or DPI.u/c. or LPI.u/c.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/03 12:30
S65	70	(fingerprint$3 or finger adj print$3 or biometric) with (register$3 or registration or template or recogni$6 or verif$4 or verification or authentic$5 or sensor or sensing or pickup or pick-up or scan$3) and (chang$3 or adjust$3 or match$3 or convert$3 or conversion or normali$6 or standardi$6 or compensat$3) near (resolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/03 12:30
S66	9	(fingerprint$3 or finger adj print$3 or biometric) same (different or various or several or generic or general or normali$6 or standard$7 or adjust$3 or compensat$3) near (sensor or sensing or pickup or pick-up or scan$3 or template) with (resolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/03 12:30
S67	24	(fingerprint$3 or finger adj print$3 or biometric) and (different or various or several or generic or general or normali$6 or standard$7 or adjust$3 or compensat$3) near (sensor or sensing or pickup or pick-up or scan$3 or template) with (resolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/03 12:30
S68	204	(fingerprint$3 or finger adj print$3) same (chang$3 or adjust$3 or convert$3 or conversion or normali$6 or standardi$6 or compensat$3 or increas$3 or decreas$3 or reduc$4 or decimat$3 or interpolat$3 or upsampl$3 or downsampl$3) near5 (resolution or (pixel or dot or line) adj per adj inch or PPI.u/c. or DPI.u/c. or LPI.u/c.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/03 12:30
S69	170	(fingerprint$3 or finger adj print$3) same (chang$3 or adjust$3 or match$3 or convert$3 or conversion or normali$6 or standardi$6 or compensat$3 or increas$3 or decreas$3 or reduc$4 or decimat$3 or interpolat$3 or upsampl$3 or downsampl$3 or compar$5 or correlat$3 or collat$3 or "same" or stretch$3 or compress$3 or scal$3 or correspond$5) near (resolution or (pixel or dot or line) adj per adj inch or PPI.u/c. or DPI.u/c. or LPI.u/c.)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/03 12:30
S70	46	(fingerprint$3 or finger adj print$3) same (convert$3 or conversion or normali$6 or standardi$6) near (subset or sub-set or region or minutia$1 or feature or ridge or groove or trough or bifurcation or whorl or distinctive)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/03 12:30
S71	76	(fingerprint$3 or finger adj print$3) same (convert$3 or conversion or normali$6 or standardi$6 or compensat$3 or interpolat$3 or upsampl$3 or downsampl$3 or "same" or stretch$3 or compress$3 or scal$3) near5 (resolution or (pixel or dot or line) adj per adj inch or PPI.u/c. or DPI.u/c. or LPI.u/c. or pixel adj size)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/03 12:30
S72	60	(fingerprint$3 or finger adj print$3 or time adj series or signature or voice) with (convert$3 or conversion or normali$6 or standardi$6 or compensat$3) with (resolution or (pixel or dot or line) adj per adj inch or PPI.u/c. or DPI.u/c. or LPI.u/c. or pixel adj size or condition or sampling or brightness or dynamic adj range) with (template or registered or registration or prestored or authori?ed or verified or recogni?ed)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/10/03 12:30
S73	2	"6259804".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2005/10/03 12:54
S74	38	("3781672" | "4202120" | "4210899" | "4353056" | "4557504" | "4768021" | "4811414" | "4827191" | "4983846" | "4993068" | "5222152" | "5224173" | "5245329" | "5280527" | "5325442" | "5363453" | "5386104" | "5389927" | "5461425" | "5467403" | "5509083" | "5513272" | "5541994" | "5546471" | "5598474" | "5603179" | "5613712" | "5623552" | "5778089" | "5828773" | "6023522").PN. OR ("6259804").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/03 12:55
S75	2	"6049621".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	AND	ON	2005/10/03 14:25
S76	18	("4151512" | "4310827" | "4817183" | "4947442" | "5140642" | "5497429" | "5631971").PN. OR ("6049621").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/03 14:34

S77	296	finger$1print$3 same different near4 (device$1 or captur$3 or imager$1)	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/03 14:35
S78	246	S77 and (resolution or crop$4 or siz$3 or scal$3)	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/03 14:40
S79	147	S78 and (convert$3 or conversion)	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/03 14:41
S80	170	S78 and (convert$3 or conversion or adjust$3)	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/03 15:25
S81	12	382/298,299.ccls. and fingerprint$3	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/03 15:38
S82	5	fingerprint$3 same predetermin$3 with resolution	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/03 15:40
S83	0	fingerprint$3 same predetermin$3 with size same crop$4	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/03 15:40
S84	81	fingerprint$3 same predetermin$3 with size	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/03 15:40
S85	3	fingerprint$3 same adjust$3 with predetermin$3 with size	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/03 15:41
S86	0	fingerprint$3 and adjust$3 with predetermin$3 with resolution	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/03 15:42
S87	9	fingerprint$3 and (conversion or convert$3) with predetermin$3 with resolution	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/03 15:42

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	262	(biometric$1 and (convert$3 or conversion)).clm.	US-PGPUB; USPAT	AND	ON	2005/10/14 19:39
L2	73	(biometric$1 and (convert$3 or conversion) and (register$3 or registration)). clm.	US-PGPUB; USPAT	AND	ON	2005/10/14 19:40